
Figure 1.




Figure 2.




Starting template DNA (fg)

Figure 3.



Starting template DNA (fg)

Figure 4.



Starting template DNA (fg)

16S rRNA gene

| | and amounts and at the control of th | | | |
|-----------------|--|---|-------------------------|---------------------------------------|
| | | | | |
| | TGGAGCATGTGGTTTAATTCGA | CCTTNTGACAACTCTAGAGATAGAGCCTTCCC | TGCATGGYTGTCGTCAGCTCGTG | TGTTGGGTTAAGTCCCGCA |
| S. Aureus | *** | *************************************** | **** | *** |
| K. Pneumoniae | *** | **AC*A**ACTT**C*****G**TTGG*G** | ***** | *** |
| H. Influenzae | *** | ***A*AGTT*GC*****GC**ATG*G** | ***** | *** |
| L. Pneumophila | **** | **AG****ACTT*GC*****GC*TTGG*G* | *** | K K K K K K K K K K K K K K K K K K K |
| N. Meningitidis | **** | *TAC*G**ATC***CG***GAG*G** | *** | **** |
| E. Coli | ******* | **AC*G**AGTT*TC*****GAGAATG*G** | | *** |
| S. Epidermidis | *********** | ************************************** | **** | * * * * * * * * * |
| E. Faecalis | ***** | ******************************** | **** | *** |
| S. Pneumoniae | ***** | N*N**NL******************************* | ****** | 在合作者会长在在实在在在实在的方面会 |
| S. Hominis | ***** | ************************************** | **** | *** |
| R. Rickettsii | ****** | GG*GG*TG*GGA**GCAGAGAT*CTTTC*T* | ******* | *** |
| B. Burgdorferi | **** | ATA**G**T*TAGT*******ATTAT*C*** | **** | *** |
| B. Anthracis | ****** | *L************************************ | **** | **** |
| Y. Pestis | ****** | **ACA-**ATTTGGC*****GCTAA-AGTG* | **** | ************** |
| P. Mirabilis | ******* | **AGC**ATC**T*******GAG*G**T | *** | **** |
| | | | | |